

January 24, 2022

Klüber Lubrication NA LP • 9010 CR 2120, Tyler, Texas 75707 • Phone 903.534.8021 • sales@klsummit.com

Product Data Sheet



NOTE: The information in this publication is the result of careful testing in our laboratories, complemented by selected literature. It does not in any way constitute a guarantee, nor does it serve as a license to operate any patent. Due to widely varying conditions of product use, which are beyond our control, it is strongly recommended that the product be tested for suitability. Product typical properties in this publication are current.

HIGH TEMPERATURE FOOD GRADE CHAIN LUBRICANT

CO-220 FG

Summit CO-220 FG chain oil was developed specifically for all drive, control and transport chains subject to high temperatures and loads. It is ideal for use in bakery and other high temperature chain applications in the food industry. Summit CO-220 FG has excellent wear protection for extended chain life. Its low evaporation rate delivers a reduction in oil consumption, along with little or no deposits being left on the chain.

Physical Properties

Product	CO-220 FG
Viscosity (ASTM D-445)	
@40°C, cSt	220
@100°C, cSt	17
Viscosity Index	143
Pour Point, °F (°C)	-36 (-38)
Flash Point, °F (°C)	555 (291)
Appearance	Transparent Yellow
Base Oil	Ester Oil
Density	0.9200
Specific Gravity	0.9698
Operating temperature	0°C/32°F to 250°C/482°F
NSF Registered	H1

Shelf Life: Product shelf life is 2 years from the date of manufacture, after which the product should be recertified prior to use.